
The Process of Land Cover and Land Use Change in Central Africa

Historical over view and ongoing activities

Dr. David S. Wilkie
Boston College
18 Clark Lane, Waltham MA 0245
dwilkie@email.msn.com


Congo Basin is different?



Ongoing LCLUC research

CARPE - USAID

- low resolution forest cover and forest disturbance (NASA, TREES, UMd)
- logging concessions and protected areas (WRI, WWF, WCMC)
- determinants of deforestation in 7 forest management units in CAR (PARN)
- forest resource use intensity (WRI and Uwe Deichmann UN)
- future land cover scenarios (WRI, Boston College)
- agricultural land transformation in Cameroon derived from road density and travel times (UMd)



Ongoing LCLUC research

768015,477017

Others



Peri-urban forest change in Gabon (APFT, ULB, UMd)

- Land cover change in Cameroon using remote sensing and household survey data (UMd, CIFOR)
- Rule-based modelling of local scales forest clearing and fragmentations in CAR (NASA, WWF)
- Landsat Pathfinder (NASA, UMd)
- Macro-economic dynamics and deforestation in southern Cameroon (University of Louvain and CIFOR)



Forest not "virgin"


- widespread farming for >2,000 years
- I iron furnaces and charred oil palm kernels evidence of extensive iron age occupation by farmers

Land use in the Congo Basin

Demographic Changes

- evidence of population crash in Gabon 400-700 years ago
- I forest population reduced by 50% in first 20 years of this century
- demographic pressure varies across the basin
 - I urban populations 40-60%
 - I DRC and Cameroon 10-14 people/km²
 - I Gabon, Congo, Equatorial Guinea, CAR 2-3 people/km²
 - I growth rates 2.5%


Land use in the Congo Basin





Economic factors

- Prior to 1850s little extra-regional trade
- Early colonial period river transportation
- 1920-1950 road building
- Logging extensive old-growth mining











Value of spatially explicit, rulebased models

- based on actual land use decisions and behaviors of forest families
- characterizes both scale of land cover transformation and extent of habitat fragmentation
- allows creation of "what if" scenarios essential to effective management of protected area resources

Parameters and rules

- Initial land cover based on classified Landsat TM imagery
- I family size, nutritional requirements, and crop productivity determine field area needs
- I fallow period, crop productivity, labor costs and labor allocation determine area of each forest cover type that can be converted to agriculture
- travel costs and proximity to active cropland determine field location



Simulation scenarios

- status quo
- increased market access
- I revitalization of the logging concession

